

SL52205231104801TX

Date:February 08,2022

TAYA CANVAS(SHANGHAI)CO.,LTD NO.777 FENGGUAN ROAD, FENGJING INDUSTRIAL PARK, JINSHAN DISTRICT, SHANGHAI, CHINA.

The following sample(s) was/were submitted and identified on behalf of the client as: Sample Description : (A)Sample (White)

| Sample Color Style No. | : | (A)White Spiderweb 300 L!ner |
|---|-------------|---|
| Proposed Care Instruction | : | - |
| Sample Receiving Date Testing Period Test Result(s) | : : : | Jan 14, 2022 Jan 14, 2022 - Feb 08, 2022 Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s). |
| Test Performed | : | Selected test(s) as requested by applicant |

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd Testing Center

Alice Wan

Alice Wang (Authorized Signatory)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company any unauthorized alteration, forgery or faisification of the soluties tated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 avg sonly.

3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 中国・上海・徐江区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666

f (86–21) 64958763 www.sgsgroup.com.cn f (86–21) 64958763 e sgs.china@sgs.com



SL52205231104801TX

Date:February 08,2022

Test Result

Flammability##

Test Requested:

EN 13501-1:2018 Fire classification of construction products and building elements—Part 1: Classification using data from reaction to fire tests.

I. Test conducted

This test is conducted as per EN 13501-1:2018 Fire classification of construction products and building elements

- Part 1: Classification using data from reaction to fire tests. And the test methods as following:
- 1. EN 13823:2020 Reaction to fire tests for building products Building products excluding floorings exposed to the thermal attack by a single burning item.
- EN ISO 11925-2:2020 Reaction to fire tests Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test.

II. Details of classified product

a) Nature and end use application

The product "1-sample in white (provided by client)" is defined as a decorative material. Its classification is valid for the following end use application: Used for billboards.

b) Description

| Description | 1-sample in white (provided by client) |
|--------------------|--|
| Color | White |
| Sample size | EN 13823: 1500mm×1000mm & 1500mm×495mm EN ISO 11925-2: 250mm×90mm |
| Mass per unit area | 181 g/m ² |
| Exposed surface | Front surface |

Mounting and fixing:

Calcium silicate board, with its density approximate 900kg/m³, thickness approximate 9mm, is as the substrate.

The test specimens are fixed mechanically to the substrate. No joint in the long wing of the specimens.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the soluties to the sample(s) tested and such sample(s) are realed to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.dlingNo.899, Yishan Road, Xuhu Dishid Shanghai, China 200233 t (86-21) 61402666 f (86-21) 614928763 www.sgsgroup.com.on



SL52205231104801TX

Date:February 08,2022

III. Test results

| Test method | Parameter | Number of tests | Results |
|-----------------|--|-----------------|---------|
| | FIGRA _{0.2MJ} (W/s) | | 56.6 |
| | FIGRA _{0.4MJ} (W/s) | | 56.6 |
| | Whether lateral flame spread (LFS) to the edge of specimen (Yes/No) | | No |
| EN 13823 | THR _{600s} (MJ) | 3 | 3.7 |
| | SMOGRA (m²/s²) | | 14.5 |
| | TSP _{600s} (m ²) | | 32.7 |
| | Flaming particles or droplets (Yes/No) | | No |
| EN ISO 11925-2 | Whether vertical flame spread (Fs) in excess of 150 mm within 60s (Yes/No) | 6 | No |
| Exposure = 30 s | Disure = 30 s Ignition of the filter paper (Yes/No) | | No |

IV. Classification and field of application

a) Reference of classification

This classification has been carried out in accordance with **EN 13501-1:2018**.

b) Classification

The product, 1-sample in white (provided by client), in relation to its reaction to fire behaviour is classified:

| Fire behaviour | | Smoke production | | | Flaming droplets | |
|----------------|---|------------------|---|---|------------------|---|
| В | _ | S | 1 | , | d | 0 |

Reaction to fire classification: B-s1, d0

Remark: The classes with their corresponding fire performance are given in annex A.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document componed the content or appearance of this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or response to the substrate of the advised there on the volter and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sss.com

3^{rf}Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86–21) 61402666 f (86–21) 64958763 www.sgsgroup.com.cn 中国・上海・徐江区宜山路889号3号楼 邮编: 200233 t (86–21) 61402666 f (86–21) 64958763 e sgs.china@sgs.com



SL52205231104801TX

c) Field of application

This classification is valid for the following end use applications:

- --- With all substrates classified as A1 and A2
- --- With mechanically fixing
- --- No joint

This classification is valid for the following product parameters:

--- Characteristics as described in section II b) of this test reports.

Statement:

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

Warning:

This classification report does not represent type approval or certification of the product.

The test laboratory has, therefore, play no part in sampling the product for the test, although it holds appropriate references to the manufacturer's factory production control that is aimed to be relevant to the samples tested and that will provide for their traceability.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or falsification of the solutient or appearance of this document is estimated to the same test restored to the same test restored to the sample(s) are retained to the days only.

3stBuilding,No.889,Vishan Road,Xuhui District Shanghai,China 200233 tt (86-21) 61402666 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 tt (86-21) 61402666

f (86-21) 64958763 www.sgsgroup.com.cn f (86-21) 64958763 e sgs.china@sgs.com



SL52205231104801TX

Date:February 08,2022

Page 5 of 7

Annex A

Classes of reaction to fire performance for construction products excluding floorings and linear pipe thermal insulation products

| Class | Test method(s |) | Classification criteria | Additional classification | |
|-------|--|-----|--|--|--|
| | EN ISO 1182 ª an | d | <i>△ T</i> ≤30 [°] C, and <i>△ m</i> ≤50%, and t _r =0(i.e. no sustained flaming) | - | |
| A1 | EN ISO 1716 | | PCS≤2.0MJ/kg ^a and PCS≤2.0MJ/kg ^{bc} and PCS≤1.4MJ/m ^{2 d} and PCS≤2.0MJ/kg ^e | - | |
| | EN ISO 1182 ª or | | ⊿ <i>T</i> ≤50 °C , and ⊿ <i>m</i> ≤50%, and t _f ≤20 s | - | |
| A2 | EN ISO 1716 | and | $PCS \le 3.0 MJ/kg^{a}$ and $PCS \le 4.0 MJ/m^{2 b}$ and $PCS \le 4.0 MJ/m^{2 d}$ and $PCS \le 3.0 MJ/kg^{e}$ | - | |
| | EN 13823 | | <i>FIGRA</i> ≤120W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>_{600s}≤7.5MJ</edge> | Smoke production ^f and Flaming droplets/particles ^g | |
| в | EN 13823 and | | FIGRA≤120W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤7.5MJ</edge> | Smoke production ^f and | |
| | EN ISO 11925-2 [†] Exposure =30s | | within 60s <i>F</i> s≤150mm | Flaming droplets/particles ^g | |
| с | EN 13823 and | | <i>FIGRA</i> ≤250W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>600s≤15MJ</edge> | Smoke production ^f and Flaming droplets/particles ^g | |
| | EN ISO 11925-2 ⁱ Exposure=30s | | <i>F</i> s≤150mm within 60 s | | |
| | EN 13823 and | | FIGRA≤750W/s | Smoke production ^f and | |
| D | EN ISO 11925-2 ⁱ Exposure=30s | | <i>F</i> s≤150mm within 60 s | Flaming droplets/particles ^g | |
| E | EN ISO 11925-2 ⁱ Exposure =15s | | <i>F</i> s≤150mm within 20 s | flaming droplets/particles h | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document form exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is inalwful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: Concerk@sgs.com (Method: Subject to testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or_email: CN_Doccheck@sgs.com

3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763

www.sgsgroup.com.cn e sgs.china@sgs.com



| rest R | eport | SL52205231 | 104801TX | Date:February 08,2022 | Page 6 | |
|---------------------|--|--|----------------------------|---|-------------------|--|
| F | EN ISO 11925-2 ⁱ Exposure = 15 s | | Fs>150mm within 20 s | | | |
| | • | | | nents of non-homogeneous products | | |
| | | | | -homogeneous products. | | |
| | | | | nent having a PCS \leq 2,0 MJ/m ² , | | |
| | | | of EN 13823: | : FIGRA \leq 20 W/s, and LFS < edge | of specimen, and | |
| | _{00s} ≤ 4,0 MJ, and s | | | | | |
| ^d For ar | ny internal non-su | bstantial comp | onent of non- | homogeneous products. | | |
| | e product as a wh | | _ | | | |
| | | s ² and TSP _{600s} | _s ≤ 50m² ; s2 = | = SMOGRA \leq 180m ² /s ² and TSP _{600s} : | ≤ 200m²; s3 = not | |
| s1 or s | - | | | | | |
| | lo flaming droplet | • | | | | |
| | io flaming droplets lot d0 or d1. | s/ particles per | sisting longer | than 10 s in EN 13823 within 600 s; | | |
| | n of the paper in l | EN ISO 11025 | 2 regulto in a | d2 alassification | | |
| | = no ignition of th | | | | | |
| | ignition of the par | • • • | | | | |
| | | | | ppropriate to the end–use applicatio | on of the product | |
| | flame attack. | nace name at | lack and, II a | ppropriate to the end-use application | | |
| eugel | ianie allach. | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reporduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document of for except the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or ormali: CN.Doccheck@sgs.com

3^{rf}Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666

f (86–21) 64958763 www.sgsgroup.com.cn f (86–21) 64958763 e sgs.china@sgs.com



SL52205231104801TX

Photo Appendix:



##:This test was carried out by SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document form exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is inalwful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: Concerk@sgs.com (Method: Subject to testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or_email: CN_Doccheck@sgs.com 3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763 f (86-21) 64958763 t (86-21) 61402666

www.sgsgroup.com.cn e sgs.china@sgs.com